



# LED Transformer for LED strip

## LED Transformer 120W 24VDC

Constant voltage LED transformer for 24VDC LED application, compatible with Philips and other LED strip and offer 24VDC interface to LED application

### Product data


General Information		Cable Length From Device to Lamp	
Lamp Type	LV Halogen		1.0 m
Number of Products on MCB (16A Type B) (Max)	12	Wire Striplength	6.0-8.0 mm
Automatic Restart	Yes	Input Terminal Cross Section	0.75-2.50 mm <sup>2</sup>
		Output Terminal Cross Section	0.75-2.50 mm <sup>2</sup>
Operating and Electrical		System characteristics	
Input Voltage	220 to 240 V	Rated Ballast-Lamp Power	120 W
Input Frequency	50 to 60 Hz		
Operating Frequency (Nom)	45-66 kHz	Temperature	
Power Factor 100% Load (Nom)	0.95	T-Ambient (Max)	50 °C
Ignition Time (Nom)	0.8 s	T-Ambient (Min)	-20 °C
Mains Voltage Performance (AC)	202...254V	T-Storage (Max)	80 °C
Mains Voltage Safety (AC)	-8% - +6%	T-Storage (Min)	-40 °C
Inrush Current Width	0.32 ms	T-Case Lifetime (Max)	65 °C
Power Losses (Nom)	15 W	T-Case Maximum (Max)	90 °C
Inrush Current Peak (Max)	35 A	Approval and Application	
Output Voltage	11.3 V	Approval Marks	CE marking RoHS Compliant CCC certificate SELV ENEC certificate
Wiring		Product Data	
Connector Type Input Terminals	Screw	Full product code	694793910202000
Connector Type Output Terminals	Screw		

## LED Transformer for LED strip

Order product name	LED Transformer 120W 24VDC
EAN/UPC - Product	6947939102020
Order code	913710032567
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	20

Material Nr. (12NC)	913710032567
Net Weight (Piece)	0.400 kg

### Dimensional drawing



LED Transformer 120W 24VDC

Product	A1	A2	B1	B2	C1
LED Transformer 120W 24VDC	300 mm	290 mm	40 mm	29 mm	30 mm

