



CorePro LEDspot LV

CorePro LED spot ND 5-35W MR16 827 36D

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. They are compatible with most existing fixtures with MR16 GU5.3 holders and are designed as a retrofit replacement for halogen or incandescent spots. LEDlamps deliver huge energy savings and minimize maintenance cost.

Product data

| General Information | | |
|--|---------------------|--|
| Cap base | GU5.3 [GU5.3] | |
| Nominal lifetime (nom.) | 15000 h | |
| Switching cycle | 50000X | |
| Technical type | 5-35W | |
| Light Technical | | |
| Colour code | 827 [CCT of 2700K] | |
| Beam Angle (Nom) | 36 ° | |
| Luminous flux (nom.) | 345 lm | |
| Luminous flux (rated) (nom.) | 345 lm | |
| Luminous intensity (nom.) | 650 cd | |
| Colour designation | Warm white (WW) | |
| Rated beam angle | 36 ° | |
| Correlated colour temperature (nom.) | 2700 K | |
| Luminous efficacy (rated) (nom.) | 69.00 lm/W | |
| Colour consistency | <6 | |
| Color rendering index (nom.) | 80 | |
| LLMF at end of nominal lifetime (nom.) | 70 % | |
| Luminous Flux in 90° Cone (Rated) | 345 lm | |
| | | |

| Operating and Electrical | |
|----------------------------------|-----------------|
| Power (Rated) (Nom) | 5 W |
| Lamp current (nom.) | 575 mA |
| Wattage equivalent | 35 W |
| Starting time (nom.) | 0.5 s |
| Warm-up time to 60% light (nom.) | 0.5 s |
| Power factor (nom.) | 0.6 |
| Voltage (Nom) | 12 V |
| | |
| Temperature | |
| T-Case maximum (nom.) | 82 °C |
| | |
| Controls and Dimming | |
| Dimmable | No |
| | |
| Approval and Application | |
| Suitable for accent lighting | Yes |
| Energy efficiency label (EEL) | A+ |
| Energy Consumption kWh/1000 h | 6 kWh |
| | |
| Product Data | |
| Full product code | 871869671063000 |


Datasheet, 2018, February 9 data subject to change

CorePro LEDspot LV

| Order product name | CorePro LED spot ND 5-35W MR16 827 36D |
|---------------------------------|--|
| EAN/UPC - product | 8718696710630 |
| Order code | 71063000 |
| Numerator – quantity per pack | 1 |
| Numerator – packs per outer box | 10 |


| Material no. (12NC) | 929001344302 |
|---------------------|--------------|
| Net weight (piece) | 0.045 kg |

Dimensional drawing




| Product | D | С |
|--|-------|-------|
| CorePro LED spot ND 5-35W MR16 827 36D | 51 mm | 46 mm |


Photometric data









CorePro LEDspotLV 35W GU5-3 827 36D



CorePro LEDspot LV

Lifetime





CorePro LEDspotLV 20W GU5-3 827 36D

CorePro LEDspotLV 20W GU5-3 827 36D

